

Appendix I: Bibliography

Appendix I: Bibliography

- Agassiz National Wildlife Refuge. 2003. Annual Narrative Report, Fiscal Year 2002.
- Agassiz National Wildlife Refuge. 2002. Annual Narrative Report, Fiscal Year 2001.
- Agassiz National Wildlife Refuge. 2002. Agassiz National Wildlife Refuge Deer Hunting Map & Regulations.
- Agassiz National Wildlife Refuge. 2002. Annual Water Plan. (Huschle, G. L.)
- Agassiz National Wildlife Refuge. 2002. Visitor Services Review Report. U.S. Fish and Wildlife Service, Region 3.
- Agassiz National Wildlife Refuge. 2001. Annual Narrative Report, Fiscal Year 2000.
- Agassiz National Wildlife Refuge. 2001. Bird Checklist.
- Agassiz National Wildlife Refuge. 2000. Annual Narrative Report, Fiscal Year. 1999.
- Agassiz National Wildlife Refuge. 2000. Refuge brochure.
- Agassiz National Wildlife Refuge. 2000. Vision 2000.
- Agassiz National Wildlife Refuge. 1998. Mammal Checklist. July.
- Agassiz National Wildlife Refuge. 1993. Station Evaluation. U.S. Fish and Wildlife Service, Region 3. September.
- Agassiz National Wildlife Refuge. 1989. Wildlife Inventory Plan.
- Agassiz National Wildlife Refuge. 1987. Marsh and Water Management Plan. (Mattsson, J.P.)
- Agassiz National Wildlife Refuge. 1981. Wilderness Management Plan.
- Agassiz National Wildlife Refuge. 1980. Interpretation and Recreation Plan, Agassiz National Wildlife Refuge.
- Agassiz National Wildlife Refuge. 1978. Environmental Assessment – Master Plan Development.
- Agassiz National Wildlife Refuge, Minnesota – Wilderness Study. 1973. U. S. Department of the Interior, Bureau of Sport Fisheries & Wildlife. October.
- Agassiz National Wildlife Refuge, Minnesota – Master Plan. 1967. U. S. Department of the Interior, Fish and Wildlife Service, Bureau of Sport Fisheries and Wildlife.
- Apfelbaum, S., Eppich, D., Solstad, J. 2004. Wetland Hydrology & Biodiversity in the Red River Basin. Draft Technical Paper No. 12. Red River Flood Damage Reduction Work Group.

- Arnold, K. 2002. Least bittern nesting ecology at Agassiz National Wildlife Refuge 2002. Field season summary prepared for Agassiz NWR staff. Gaylord Memorial Laboratory, University of Missouri.
- Azure. 1998. Aspects of American Bittern Ecology in Northwest Minnesota. M. S. Thesis, University of North Dakota.
- Azure, D.A., W.L. Brininger, J.E. Toepfer, G. Huschle, and R.D. Crawford. 2000. First described renesting attempt by an American bittern. *Wilson Bulletin* 112(2): 271-273.
- Azure, D.A., D.E. Naugle, J.E. Toepfer, G. Huschle, and R.D. Crawford. 2000. Sexing American bitterns, *Botaurus lentiginosus*, using morphometric characteristics. *Canadian Field Naturalist* 114(2): 307-310.
- Balser, D.S., H.H. Dill, and H.K. Nelson. 1968. Effect of predator reduction on waterfowl nesting success. *Journal of Wildlife Management*. 32(4), October.
- Berg, W. 1971. Habitat Use, Movements, and Activity Patterns of Moose in Northwest Minnesota. M.S. Thesis, University of Minnesota.
- Brininger. 1996. The Ecology of the American Bittern Ecology in Northwest Minnesota. M.S. Thesis, St. Cloud State University.
- Burger, J. 1972. Breeding Adaptations of Franklin's Gull to a Marsh Habitat. Dissertation, University of Minnesota.
- Burger, J. 1972. Dispersal and Post-Fledgling Survival of Franklin's Gulls. *Bird-Banding*, Vol. 43, No. 4, pp 267-275.
- Burger, J. 1973. Competition Between American Coots and Franklin's Gulls for Nest Sites and Egg Predation by the Coots. *The Wilson Bulletin*. Vol. 85, No. 4.
- Burger, J. 1973. Egg Size and Shell Thickness in the Franklin's Gull. *Auk*, Vol. 90, General Notes, pp 423-426.
- Butler, W. 1968. Reservoir Renovation and Sedimentation Study for Thief River Falls, MN. Contract Report from Walter Butler Company, Consulting engineers, ST. Paul MN
- Chavez, A. S. 2002. Assessing the Potential, Actual and Perceived Risk that Gray Wolves, *Canis lupus*, Pose to Livestock in Northwestern Minnesota. M.S. Thesis, Utah State University
- Coffin, B. and L. Pfannmuller (eds.). 1988. Minnesota's Endangered Flora and Fauna. A Report of the Minnesota Endangered Species Technical Advisory Committee. Published by the University of Minnesota Press for the Natural Heritage and Nongame Wildlife Programs of the Division of Fish and Wildlife, Minnesota Department of Natural Resources.
- Cox, E.W., Ballard, W.B., Murray, D.L., Whitlaw, H.A., Lenarz, M.S., Custer, T.W., Fuller, T.K., Barnett, T. 2004. Dynamics of a Declining Moose Population in Northwest Minnesota. Submitted to The Wildlife Society Monographs.
- Custer T., Custer, C., USGS. 2003. Exposure and Effects of Metal Accumulation by Wildlife on Agassiz National Wildlife Refuge. Project ID 3N26, Draft Report to USFWS

- DiMatteo. 1991. Biology of the Greater Sandhill Cranes of Agassiz National Wildlife Refuge, Marshall County, Minnesota. M.S. Thesis, St. Cloud State University.
- Erickson, C. (ed.). 1996. East Valley Township Centennial, Marshall County, Minnesota, 1896-1996.
- Fink, D. F., and W.J. Mitsch. Seasonal and storm event nutrient removal by a created wetland in an agricultural watershed. *Ecological Engineering* 23 (2004) 313–325.
- Harris, S. 1957. Ecological effects of drawdown operations for the purpose of improved waterfowl habitat. Dissertation, University of Minnesota.
- Huschle, G. L., J.E. Toepfer, W.L. Brininger, Jr., and D.A. Azure. 2002. Capturing adult American bitterns. *Waterbirds*. 25(4): 505-508.
- Iowa State University, University Extension. 1992, 1997. Quackgrass and its control. On the World Wide Web at <http://www.extension.iastate.edu/Publications/PM742.pdf>.
- Johnson, B., Deutschman, M., 2003. Total Suspended Sediment Loadings – Red Lake, Thief, Mud and Moose Rivers. Report by Houston Engineering for Pennington County Soil and Water Conservation District, 25pp.
- Johnson, R. 2002. Relation of water table level to peatland tree growth. Unpublished study proposal. University of Minnesota-Duluth.
- Kao, J.T., J.E. Titus, and W.X. Zhu. 2003. Differential Nitrogen and Phosphorus Retention by Five Wetland Plant Species. *Wetlands* Vol. 23, No. 4, pp. 979–987
- Koenig, R.S. 1980. Pool 8 Wetland Habitat Improvement Study. Report.
- Korschgen, C.E., K.P. Kenow, W.L. Green, D.H. Johnson, M.D. Samuel, and L. Sileo. 1996. Survival of radiomarked canvasback ducklings in northwestern Minnesota. *Journal of Wildlife Management*. 60(1):120-132.
- Mattsson, J.P. 1986. Environmental Assessment of a Furbearer Trapping Proposal for Agassiz National Wildlife Refuge, Middle River, Minnesota.
- Mengelkoch. 2000. Diet of the Nesting Tree Swallow as Related to Insect Diversity and Abundance. M.S. Thesis, University of Minnesota-Duluth.
- Minnesota Pollution Control Agency. 1997. Red River Basin Information Document. Report 271pp.
- Pant, H. K. and K.R. Reddy. 2001. Hydrologic influence on stability of organic phosphorus in wetland detritus. *Journal of Environmental Quality* V. 30 (2): 668-674.
- Morrison, D. Summer 2003. Field of Dreams: Restoring a 10-acre Treasure. Kiosk: University of Minnesota, Newspaper by and for UMN faculty and staff. On the World Wide Web at <http://216.239.51.104/search?q=cache:46KQl2JzjYAJ:www1.umn.edu/urelate/kiosk/5.97text/field.html+sedge+restoration+Minnesota&hl=en&ie=UTF-8>.
- Odefey, K. 2002. The effects of climatic variability and geomorphic setting on shorebird habitat use in northwest Minnesota. Unpublished field season summaries.

Ohio Department of Natural Resources, Division of Natural Areas and Preserves. 2003. "Invasive Plants of Ohio: Narrow-leaved and Hybrid Cattail" Fact Sheet 11. 2003. Accessed on the World Wide Web at <http://www.dnr.state.oh.us/dnap/invasive/11cattail.htm> .

Schultz, D.F., Mattsson, J.P., 1983. A Study of Canvasback and Redhead Productivity at Agassiz National Wildlife Refuge. 1982 and 1983 Progress Reports.

Stoner, J.D., D.L. Lorenz, R. M. Goldstein, M. E. Brigham, and T. K. Cowdery. 1998. Water Quality in the Red River of the North Basin, Minnesota, North Dakota, and South Dakota, 1992-95. U.S. Geological Survey Circular 1169.

Thunhorst, G and J. M. Swearingen. 1997. Canada Thistle: *Cirsium arvense*. Plant Conservation Alliance, Alien Plant Working Group The Nature Conservancy (Arlington, VA) and the National Park Service (Washington, DC). Accessed on the World Wide Web at <http://www.nps.gov/plants/alien/fact/ciar1.htm>.

Tornes, L.H. and M.E. Brigham. 1994. Nutrients, Suspended Sediment, and Pesticides in Waters of the Red River of the North Basin, Minnesota, North Dakota, and South Dakota, 1970-90. U.S. Geological Survey, Water Resources Investigations Report 93-4231.

Tornes, L.H. and M.E. Brigham. 1995. Pesticide Amounts Are Small in Streams in the Red River of the North Basin, 1993-94. U.S. Geological Survey Open-File Report 95-283.

U.S. Census Bureau. 2003. State and County QuickFacts: Beltrami County, Minnesota.

U.S. Census Bureau. 2003. State and County QuickFacts: Kittson County, Minnesota.

U.S. Census Bureau. 2003. State and County QuickFacts: Lake of the Woods County, Minnesota.

U.S. Census Bureau. 2003. State and County QuickFacts: Marshall County, Minnesota.

U.S. Census Bureau. 2003. State and County QuickFacts: Pennington County, Minnesota.

U.S. Census Bureau. 2003. State and County QuickFacts: Red Lake County, Minnesota.

U.S. Census Bureau. 2003. State and County QuickFacts: Roseau County, Minnesota.

U.S. Environmental Protection Agency. 1998. Report of the Federal Advisory Committee on the Total Maximum Daily Load (TMDL) Program. The National Advisory Council For Environmental Policy and Technology (NACEPT).

United States Department of Agriculture. 1996. Erosion Sedimentation Sediment Yield Report – Thief and Red Lake Rivers Basin, MN. Report, 32pp.

United States Department of Agriculture. 1989. Biological Control of Leafy Spurge. Animal and Plant Health Inspection Service, United States Department of Agriculture, Program Aid Number 1435. 11 pages. Jamestown, ND: Northern Prairie Wildlife Research Center Home Page. <http://www.npwrc.usgs.gov/resource/2000/homing/homing.htm> (Version 05JAN2000).

U.S. Department of Energy. 1999. Carbon Sequestration Research and Development. Washington, D.C.

U.S. Fish and Wildlife Service, Region 3. 2002. Fish & Wildlife Resource Conservation Priorities. January 2002. Version 2.0.

U.S. Fish and Wildlife Service, Region 3. 2001. Mississippi Headwaters Tallgrass Prairie Ecosystem: Purple Loosestrife, Zebra Mussel, Watermilfoil, Spotted Knapweed, And Leafy Spurge Are The Primary Nuisance Species of Concern Within the MH?TGP Ecosystem. On-line at: <http://midwest.fws.gov/ecosys/ans.htm> .

U.S. Fish and Wildlife Service, Minnesota Department of Natural Resources Nongame Wildlife Program, Minnesota Office of Tourism, Lakes Area Birding Club, Minnesota Ornithologists Union. 2000. Minnesota's Pine to Prairie Birding Trail.

University of Florida, Center for Aquatic and Invasive Plants. No date. Aquatic, Wetland and Invasive Plant Particulars and Photographs. <http://aquat1.ifas.ufl.edu/sonole.html>

Uusi Kamppa, J., B. Braskerud, H. Jansson, N. Syversen, and R. Uusitalo. 2000. Buffer zones and constructed wetlands as filters for agricultural phosphorus. *Journal of Environmental Quality* V. 29 (1): 151-158.

Vermeer, A. and W. Stark. 2002. A Cultural Resources Management Plan for Agassiz National Wildlife Refuge, Marshall County, Minnesota. Submitted by The 106 Group Ltd. to Region 3 of the U. S. Fish and Wildlife Service, Ft. Snelling, MN.

Wehrman-Chapman Associates, Inc. 1978. Master Plan Summary – Agassiz National Wildlife Refuge, Middle River, Minnesota.

Wehrman-Chapman Associates, Inc. 1978. Master Plan Technical Report – Agassiz National Wildlife Refuge, Middle River, Minnesota. Great Lakes Region, Region 3, U.S. Fish and Wildlife Service, Department of the Interior. December.

Wilken, D. and L. Hannah. No date. *Sonchus asper* (L.) Hill (Asteraceae) Prickly Sow Thistle, Spiny Milk Thistle. Santa Barbara Botanic Garden, for Channel Islands National Park. On the World Wide Web at http://usgssrv1.usgs.nau.edu/swepic/factsheets/Sonchus_oleraceus.pdf .

Yin, C. and B. Shan. 2001. Multipond Systems: A Sustainable Way to Control Diffuse Phosphorus Pollution. *Ambio* Vol. 30 No. 6, Sept. 2001

